

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : SPOTLIGHT PLUS  
Product code : 6246

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Herbicide

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FMC CHEMICAL Sprl  
Boulevard de la Plaine, 9/3  
1050 BRUXELLES - BELGIQUE  
T 00 32 2 6459584 - F 00 32 2 6459655  
[msdsinfo@fmc.com](mailto:msdsinfo@fmc.com)

#### 1.4. Emergency telephone number

Emergency number : 00 32 14 58 45 45 (all countries)

Country	Organisation/Company	Address	Emergency number
BELGIUM	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn B - 1120 Brussels	+32 70 245 245
BULGARIA	National Toxicological Information Centre National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov"	21 Totleben Boulevard 1606 SOFIA	+359 2 9154 409
ČESKÁ REPUBLIKA	Toxikologické informační středisko	Na Bojišti 1 120 00 Praha 2	+420 224 919 293 +420 224 915 402
DANMARK	Giftlinjen Bispebjerg Hospital	Bispebjerg Bakke 23, 60, 1 DK-2400 Copenhagen NV	+45 82 12 12 12
FRANCE	ORFILA	<a href="http://www.centres-antipoison.net">http://www.centres-antipoison.net</a>	+33 (0)1 45 42 59 59
GERMANY	Berliner Betrieb für Zentrale Gesundheitliche Aufgaben Institut für Toxikologie, Klinische Toxikologie und Giftnotruf Berlin	Oranienburger Strasse 285 13437 Berlin	+49 30 19240
HUNGARY	Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety) Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service)	1437 Budapest PO Box 839 1097 Budapest, Nagyvárad tér 2	+36 80 20 11 99
ITALY	Centro Antiveneni Ospedale Niguarda Ca' Granda	Piazza Ospedale Maggiore 3 20162 Milano	+39 02 6610 1029
LITHUANIA	Poisons Control and Information Bureau	Siltnamiu 29 2043 Vilnius	+370 523 62052 +370 687 53378
NEDERLAND	Nationaal Vergiftigen Informatie Centrum (Uitsluitend bestemd omartsen te informeren bij accidentele vergiftigen)	Heidelberglaan 100 3584 CX Utrecht	+31 30 274 88 88
NORWAY	Giftinformasjonen Directorate of Health and Social Affairs	P.O. Box 7000 St. Olavs Plass 130 Oslo	+47 22 591300
POLAND	Warsaw Poison Control and Information Centre Praski Hospital	Al. Solidarnosci 67 P-03 401 Warszawa	+48 22 619 66 54 +48 22 619 08 97
PORTUGAL	Centro de Informação Antivenenos – Dra Arlinda Borges Instituto Nacional de Emergência Médica (INEM)	Rua Almirante Barroso, 36 1000-013 Lisboa	808 250 143 (for use only in Portugal), +351 21 330 3284
ROMANIA	Institutul National de Sanatate Publica	Str. Dr. Leonte Anastasievici Nr.1-3, Sector 5 Bucuresti, directie.generala {at} insp.gov.ro 050463 Bucuresti	+40 21318 3606
SLOVAKIA	National Toxicological Information Centre University Hospital Bratislava	Limbová 5 833 05 Bratislava	+421 2 54 77 4 166
SLOVENIA	Poison Centre Division of Internal Medicine	University Clinical Centre Zaloska 7 1525 Ljubljana	+ 386 41 650 500
SPAIN	Servicio de Información Toxicológica Instituto Nacional de Toxicología, Departamento de Madrid	Calle Luis Cabrera 9 E-28002 Madrid	+34 91 562 04 20

# SPOTLIGHT PLUS

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Country	Organisation/Company	Address	Emergency number
SUOMI	Myrkytystietokeskus	P.O.B 790 (Tukholmankatu 17) HUS SF - 00029 Helsinki	+358 9 471 977
SWEDEN	Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital	Box 60 500 SE-171 76 Stockholm	08-331231 (Måndag-Fredag; 9.00-17.00) 112 (0.00-24.00)
UNITED KINGDOM	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0870 600 6266 (UK only)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1 H317

Aquatic Acute 1 H400

Aquatic Chronic 1 H410

Full text of H-phrases: see section 16

#### Classification according to Directive 67/548/EEC or 1999/45/EC

R43

N; R50/53

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction

Very toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Warning

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP)

: P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P501 - Dispose of contents/container in accordance with local and national regulations

EUH phrases

: EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Carfentrazone-ethyl	(CAS No) 128639-02-1 (EC index no) 607-309-00-5	< 10	N; R50/53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Polyether modified trisiloxane	(CAS No) 134180-76-0	< 5	Xn; R20/21 Xi; R36 N; R51/53	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

# SPOTLIGHT PLUS

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Solvent naphtha (petroleum), light arom.	(CAS No) 64742-95-6 (EC no) 265-199-0 (REACH-no) 01-2119455851-35	< 5	R10 Xn; R65 R66 R67 Xi; R37 N; R51/53	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Calcium dodecylbenzenesulphonate	(CAS No) 26264-06-2 (EC no) 247-557-8	< 5	Xi; R38 Xi; R41	Skin Irrit. 2, H315 Eye Dam. 1, H318
butan-1-ol	(CAS No) 71-36-3 (EC no) 200-751-6 (EC index no) 603-004-00-6 (REACH-no) 01-2119484630-38	< 5	R10 Xn; R22 Xi; R41 Xi; R37/38 R67	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336

Full text of R- and H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Move the affected person to the fresh air  
If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Remove all contaminated clothing and footwear  
Wash with soapy water  
If case of redness or irritation, call a doctor.
- First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum)  
If irritation persists, consult an eye specialist.
- First-aid measures after ingestion : Rinse mouth out with water  
Never attempt to induce vomiting  
Take medical advice immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : Irritation  
Exposure may produce an allergic reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively in response to reactions of patient.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Powder  
Foam  
Carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Water (the product is dangerous for the environment - do not dilute it).

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : During combustion :  
Toxic vapours may be released.

#### 5.3. Advice for firefighters

- Firefighting instructions : Isolate fire area. Evacuate downwind  
Do not breathe fumes  
Contain the extinguishing fluids by bunding (the product is hazardous for the environment).
- Protection during firefighting : Do not attempt to take action without suitable protective equipment  
Self-contained breathing apparatus  
Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment  
For further information refer to section 8: "Exposure controls/personal protection".

# SPOTLIGHT PLUS

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 6.2. Environmental precautions

Do not allow product to spread into the environment  
Contain the spilled material by bunding (product is hazardous for the environment).

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spillage with:  
inert absorbent material  
Sand/earth  
Neutralize non-recoverable product with :  
a solution of caustic or soda ash, and an appropriate alcohol (methanol, ethanol or isopropanol).

Methods for cleaning up : Wash with plenty of water and detergent  
Dispose of contaminated material at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Always wash hands after handling the product  
Always take a shower after work  
Separate working clothes from town clothes. Launder separately.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area  
Keep away from ignition sources  
Keep out of the reach of children  
Keep away from food, drink and animal feeding stuffs.

Incompatible materials : Strong oxidizing agents.

Packaging materials : Original packaging.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Nitrile-rubber protective gloves  
Neoprene protective gloves.

Eye protection : Safety glasses with side shields.

Skin and body protection : Handling product in large quantities:  
Impermeable suit (Hypalon, Tyvek, Saranex, PVC...).

Respiratory protection : In the event of insufficient ventilation:  
Filtering respiratory protective device with a pesticide canister.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : yellow orange  
Translucent.

Odour : Paste.

Odour threshold : Not applicable

pH : 4,86

pH solution : 1 %

Relative evaporation rate (butyl acetate=1) : Not applicable

Melting point : Not applicable

Boiling point : Not applicable

Flash point : 111 °C

Auto-ignition temperature : 356 °C

Decomposition temperature : Not applicable

Flammability (solid, gas) : Not applicable

Vapour pressure : Not applicable

# SPOTLIGHT PLUS

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Relative vapour density at 20 °C	: Not applicable
Relative density	: 0,9308 (20°C)
Solubility	: Water: Dispersion
Log Pow	: Not applicable
Viscosity, kinematic	: 20,42 mm <sup>2</sup> /s (40°C)
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing material.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

To our knowledge, the product does not present any particular risk, under normal conditions of use.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

None to our knowledge.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

On combustion or on thermal decomposition (pyrolysis) releases :

Carbon oxydes (CO, CO<sub>2</sub>)

Hydrogen fluoride

Ketones

Aldehyde

Hydrochloric acid

Nitrogen oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

SPOTLIGHT PLUS	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat	> 5,11 mg/l/4h

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Specific target organ toxicity (single exposure) : Not classified (Based on available data, the classification criteria are not met)

Specific target organ toxicity (repeated exposure) : Not classified (Based on available data, the classification criteria are not met)

### Carfentrazone-ethyl (128639-02-1)

NOAEL, rat	50 ppm (3 mg/kg bw/day 2 years)
------------	---------------------------------

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# SPOTLIGHT PLUS

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

SPOTLIGHT PLUS	
ErC50 (algae)	0,537 mg/l
NOEC chronic algae	0,1 mg/l

### 12.2. Persistence and degradability

Carfentrazone-ethyl (128639-02-1)	
Persistence and degradability	Half-life (in water) : 8.3 days (pH = 5) Half-life (in soil) : < 1.5 days.

### 12.3. Bioaccumulative potential

Carfentrazone-ethyl (128639-02-1)	
BCF	159
Log Pow	3,36 (20°C)

### 12.4. Mobility in soil

Carfentrazone-ethyl (128639-02-1)	
Ecology - soil	Very mobile.

### 12.5. Results of PBT and vPvB assessment

Component	
Carfentrazone-ethyl (128639-02-1)	Moderately persistent

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Discharging into rivers and drains is forbidden Dispose of in accordance with relevant local regulations Incinerate at a licensed installation Do not re-use empty containers.
Additional information	: The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR/RID)	: 3082
UN-No.(IATA)	: 3082
UN-No. (IMDG)	: 3082

### 14.2. UN proper shipping name

Proper Shipping Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl(128639-02-1), Polyether modified trisiloxane (134180-76-0)), 9, III, (E)

### 14.3. Transport hazard class(es)

Class (ADR/RID)	: 9
Class (IATA)	: 9
Class (IMDG)	: 9
Hazard labels (UN)	: 9



### 14.4. Packing group

Packing group (ADR/RID)	: III
Packing group (IMDG)	: III

# SPOTLIGHT PLUS

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 14.5. Environmental hazards

Dangerous for the environment :



Other information : Dangerous for the environment.


### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Hazard identification number (Kemler No.) : 90

Classification code (UN) : M6

Orange plates :



Special provision (ADR) : 274  
335  
601

Transport category (ADR) : 3

Tunnel restriction code : E

Limited quantities (ADR) : 5L

Excepted quantities (ADR) : E1

EAC code : •3Z

#### 14.6.2. Transport by sea

MFAG-No : 171

#### 14.6.3. Air transport

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no REACH candidate substance

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

A chemical safety assessment acc. to art. 14 of Regulation (EC) No 1907/2006 is not required, because art. 15 of the same regulation applies

## SECTION 16: Other information

Indication of changes:

This sheet was updated (refer to the date at the top of this page)

SDS changed section(s) : 2-7-9-10-14.

Other information : Spotlight and FMC are registered trademarks of FMC Corporation.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

# SPOTLIGHT PLUS

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
R10	Flammable
R20/21	Harmful by inhalation and in contact with skin
R22	Harmful if swallowed
R36	Irritating to eyes
R37	Irritating to respiratory system
R37/38	Irritating to respiratory system and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*